Proposed Maximum Residue Limit PMRL2016-50

Chlorantraniliprole

(publié aussi en français)

22 September 2016

This document is published by the Health Canada Pest Management Regulatory Agency. For further information, please contact:

Publications
Pest Management Regulatory Agency
Health Canada
2720 Riverside Drive
A.L. 6607 D
Ottawa, Ontario K1A 0K9

Internet: pmra.publications@hc-sc.gc.ca
healthcanada.gc.ca/pmra
Facsimile: 613-736-3758
Information Service:
1-800-267-6315 or 613-736-3799
pmra.infoserv@hc-sc.gc.ca

Canada

ISSN: 1925-0835 (print)
1925-0843 (online)

Catalogue number: H113-24/2016-50E (print version)
H113-24/2016-50E-PDF (PDF version)

© Her Majesty the Queen in Right of Canada, represented by the Minister of Health Canada, 2016

All rights reserved. No part of this information (publication or product) may be reproduced or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, or stored in a retrieval system, without prior written permission of the Minister of Public Works and Government Services Canada, Ottawa, Ontario K1A 0S5.

Under the authority of the *Pest Control Products Act*, Health Canada's Pest Management Regulatory Agency (PMRA) has concluded that the addition of hops (dried) to the product label of Dupont Coragen Insecticide, containing technical grade chlorantraniliprole, is acceptable. The specific use approved in Canada is detailed on the label of Dupont Coragen Insecticide, *Pest Control Products Act* Registration Number 28982.

The evaluation of this chlorantraniliprole application indicated that the end-use product has value and the human health and environmental risks associated with the new use are acceptable.

Before registering a pesticide for food use in Canada, the PMRA must determine the quantity of residues that are likely to remain in or on the food when the pesticide is used according to label directions and that such residues will not be a concern to human health. This quantity is then legally established as a maximum residue limit (MRL). An MRL applies to the identified raw agricultural food commodity as well as to any processed food product that contains it, except where separate MRLs are specified for the raw agricultural commodity and a processed product made from it.

Consultation on the proposed MRL for chlorantraniliprole is being conducted via this document (see Next Steps, the last section of this document). A summary of the field trial data used to support the proposed MRL can be found in Appendix I.

To comply with Canada's international trade obligations, consultation on the proposed MRL is also being conducted internationally by notifying the World Trade Organization, as coordinated by Canada's Notification Authority and Enquiry Point.

The proposed MRL, to be added to the MRLs already established for chlorantraniliprole, is as follows.

Table 1 Proposed Maximum Residue Limits for Chlorantraniliprole

Common Name	Residue Definition	MRL (ppm)[1]	Food Commodity
Chlorantraniliprole	3-bromo-*N*-[4-chloro-2-methyl-6-[(methylamino)carbonyl]phenyl]-1-(3-chloro-2-pyridinyl)-1*H*-pyrazole-5-carboxamide	40	Hops (dried)

[1] ppm = parts per million

MRLs established in Canada may be found using the Maximum Residue Limit Database on the Maximum Residue Limits for Pesticides webpage. The database allows users to search for established MRLs, regulated under the *Pest Control Products Act*, both for pesticides or for food commodities.

International Situation and Trade Implications

MRLs may vary from one country to another for a number of reasons, including differences in pesticide use patterns and the locations of the crop field trials used to generate residue chemistry data.

Table 2 compares the MRL proposed for chlorantraniliprole in Canada with corresponding American tolerances and Codex MRLs.[1] American tolerances are listed in the Electronic Code of Federal Regulations, 40 CFR Part 180, by pesticide. A listing of established Codex MRLs is available on the Codex Alimentarius Pesticide Residues in Food and Feed website, by pesticide or commodity.

Table 2 Comparison of Canadian MRLs, American Tolerances and Codex MRLs (where different)

Food Commodity	Canadian MRL (ppm)	American Tolerance (ppm)	Codex MRL (ppm)
Hops (dried)	40	90	40

Next Steps

The PMRA invites the public to submit written comments on the proposed MRL for chlorantraniliprole up to 75 days from the date of publication of this document. Please forward your comments to Publications (see the contact information on the cover page of this document). The PMRA will consider all comments received before making a final decision on the proposed MRL. Comments received will be addressed in a separate document linked to this PMRL. The established MRLs will be legally in effect as of the date that they are entered into the Maximum Residue Limit Database.

[1] The Codex Alimentarius Commission is an international organization under the auspices of the United Nations that develops international food standards, including MRLs.

Appendix I

Summary of Field Trial Data Used to Support the Proposed Maximum Residue Limit

Residue data from field trials conducted in the United States were submitted to support the domestic use of Dupont Coragen Insecticide on hops (dried). Chlorantraniliprole was applied to hops (dried) at rates equivalent to the approved rates, and harvested according to label directions.

Maximum Residue Limit

The recommendation for maximum residue limit (MRL) for chlorantraniliprole was based upon the submitted field trial data, and the guidance provided in the OECD MRL Calculator. Table A1 summarizes the residue data used to calculate the proposed MRL for hops (dried).

Table A1 Summary of Field Trial and Processing Data Used to Support MRL

Commodity	Application Method/ Total Application Rate (g a.i./ha)[1]	Preharvest Interval (days)	Lowest Average Field Trial Residues (ppm)	Highest Average Field Trial Residues (ppm)	Experimental Processing Factor
Hops (dried)	Foliar / 225-231	0	7.0	17.5	None

[1] g a.i./ha = grams of active ingredient per hectare

Following the review of all available data, the MRL as proposed in Table 1 is recommended to cover residues of chlorantraniliprole. Residues of chlorantraniliprole in hops (dried) at the proposed MRL will not pose an unacceptable risk to any segment of the population, including infants, children, adults and seniors.